ELSEVIER

Theoretical Computer Science 180 (1997) 379–386

Theoretical Computer Science

Master index volumes 171–180

(For the sake of simplicity and uniformity, all names beginning with articles or prepositions are listed as if written as single words)

Ajili, F. and E. Contejean, Avoiding slack variables in the solving of linear diophantine equations and inequations 173 (1) (1997) 183–208

Alagić, M., *see* S. Alagić 179 (1–2) (1997) 273–299

Alagić, S. and M. Alagić, Order-sorted model theory for temporal executable specifications 179 (1–2) (1997) 273–299

Ambos-Spies, K., S.A. Terwijn and X. Zheng, Resource bounded randomness and weakly complete problems 172 (1–2) (1997) 195–207

Anderson, S.O. and A.J. Power, A representable approach to finite nondeterminism 177 (1) (1997) 3–25

Andreev, A.E., A.E.F. Clementi and J.D.P. Rolim, Optimal bounds for the approximation of boolean functions and some applications 180 (1–2) (1997) 243–268

Apolloni, B. and S. Chiaravalli, PAC learning of concept classes through the boundaries of their items 172 (1–2) (1997) 91–120

Arora, S. and R. Fagin, On winning strategies in Ehrenfeucht–Fraïssé games 174 (1–2) (1997) 97–121

Arvind, V. and N.V. Vinodchandran, Solvable black-box group problems are low for PP 180 (1–2) (1997) 17–45

Astesiano, E., Preface 173 (2) (1997) 309

Atkinson, M.D., M.J. Livesey and D. Tulley, Permutations generated by token passing in graphs 178 (1–2) (1997) 103–118

Ausiello, G. and R. Giaccio, On-line algorithms for satisfiability problems with uncertainty 171 (1–2) (1997) 3–24

Backhouse, R., *see* H. Doornbos 179 (1–2) (1997) 103–135

Baeten, J.C.M. and J.A. Bergstra, Process algebra with propositional signals 177 (2) (1997) 381–405

Baier, C., Trees and semantics 179 (1–2) (1997) 217–250

Bassino, F., Nonnegative companion matrices and star-height of $\mathbb{N}$-rational series 180 (1–2) (1997) 61–80

Bauernöppel, F., E. Kranakis, D. Krizanc, A. Maheshwari, J.-R. Sack and J. Urruita, Planar stage graphs: Characterizations and applications 175 (2) (1997) 239–255

Bergstra, J.A., *see* J.C.M. Baeten 177 (2) (1997) 381–405

Berline C. and K. Grue, A κ-denotational semantics for map theory in ZFC + SI (*Fundamental Study*) 179 (1–2) (1997) 137–202

Berman, P. and A. Lingas, A nearly optimal parallel algorithm for the Voronoi diagram of a convex polygon 174 (1–2) (1997) 193–202

Berstel, J. and A. de Luca, Sturmian words, Lyndon words and trees 178 (1–2) (1997) 171–203

Bezem, M. and A. Ponse, Two finite specifications of a queue 177 (2) (1997) 487–507

Bidoit, M., *see* R. Hennicker 173 (2) (1997) 393–443

Bjørner, N., A. Browne and Z. Manna, Automatic generation of invariants and intermediate assertions 173 (1) (1997) 49–87

Bloom, S.L. and Z. Ésik, The equational logic of fixed points (*Tutorial*) 179 (1–2) (1997) 1–60

Bosc, P., D. Dubois, O. Pivert and H. Prade, Flexible queries in relational databases – The example of the division operator 171 (1–2) (1997) 281–302

Bouchitté, V. and J.-X. Rampon, On-line algorithms for orders 175 (2) (1997) 225–238

Bouchitté, V., M. Habib and M. Morvan, Preface 175 (2) (1997) 223

Elsevier Science B.V.

Bracho, F., M. Droste, M. and D. Kuske, Representation of computations in concurrent automata by dependence orders 174 (1–2) (1997) 67–96
Brandstädt, A., F.F. Dragan and F. Nicolai, Homogeneously orderable graphs 172 (1–2) (1997) 209–232
Braüner, T., A general adequacy result for a linear functional language 177 (1) (1997) 27–58
Browne, A., *see* N. Bjørner 173 (1) (1997) 49–87
Browne, A., E.M. Clarke, S. Jha, D.E. Long and W. Marrero, An improved algorithm for the evaluation of fixpoint expressions 178 (1–2) (1997) 237–255
Bucciarelli, A., Degrees of parallelism in the continuous type hierarchy 177 (1) (1997) 59–71
Canfield, E.R., *see* G.-Q. Zhang 174 (1–2) (1997) 275–279
Castagna, G., Unifying overloading and λ-abstraction: $\lambda^{\{\}}$ (*Note*) 176 (1–2) (1997) 337–345
Castellani, I. and G.-Q. Zhang, Parallel product of event structures 179 (1–2) (1997) 203–215
Cattaneo, G. and C.Q. Vogliotti, The "magic" rule spaces of neural-like elementary cellular automata 178 (1–2) (1997) 77–102
Cerioli, M. and J. Meseguer, May I borrow your logic? (Transporting logical structures along maps) 173 (2) (1997) 311–347
Cerny, E., *see* P. Girodias 173 (1) (1997) 253–281
Chang, C.-H. and R. Paige, From regular expressions to DFA's using compressed NFS's (*Fundamental Study*) 178 (1–2) (1997) 1–36
Chatalic, P., C. Froidevaux and C. Schwind, Graded hypothesis theories 171 (1–2) (1997) 247–280
Chen, Z. and S. Homer, Learning counting functions with queries 180 (1–2) (1997) 155–168
Chiaravalli, S., *see* B. Apolloni 172 (1–2) (1997) 91–120
Chiola, G., C. Dutheillet, G. Franceschinis and S. Haddac, A symbolic reachability graph for coloured petri nets 176 (1–2) (1997) 39–65
Clarke, E.M., *see* A. Browne 178 (1–2) (1997) 237–255
Clementi, A.E.F., *see* A.E. Andreev 180 (1–2) (1997) 243–268
Clote, P., Nondeterministic stack register machines 178 (1–2) (1997) 37–76
Cockett, J.R.B. and D.A. Spooner, Constructing process categories 177 (1) (1997) 73–109
Codenotti, B., B.N. Datta, K. Datta and M. Leoncini, Parallel algorithms for certain matrix computations 180 (1–2) (1997) 287–308
Comon, H. and R. Treinen, The first-order theory of lexicographic path orderings is undecidable 176 (1–2) (1997) 67–87
Contejean, E., *see* F. Ajili 173 (1) (1997) 183–208
Costa, G. and G. Reggio, Specification of abstract dynamic-data types: A temporal logic approach 173 (2) (1997) 513–554
D'Argenio, P.R. and C. Verhoef, A general conservative extension theorem in process algebras with inequalities 177 (2) (1997) 351–380
Damaschke, P., An optimal parallel algorithm for digital curve segmentation 178 (1–2) (1997) 225–236
Dassow, J. and V. Mitrana, Cooperation in context-free grammars (*Note*) 180 (1–2) (1997) 353–361
Datta, B.N., *see* B. Codenotti 180 (1–2) (1997) 287–308
Datta, K., *see* B. Codenotti 180 (1–2) (1997) 287–308
David, R. and K. Nour, A syntactical proof of the operational equivalence of two λ-terms (*Note*) 180 (1–2) (1997) 371–375
Dechter, R. and P. van Beek, Local and global relational consistency 173 (1) (1997) 283–308
de la Higuera, C. and L. Nourine, Drawing and encoding two-dimensional posets 175 (2) 293–308
de Luca, A., *see* J. Berstel 178 (1–2) (1997) 171–203
de Luca, A., Standard Sturmian morphisms 178 (1–2) (1997) 205–224
de Vries, F.J., *see* J.R. Kennaway 175 (1) (1997 93–125
Dendris, N.D., L.M. Kirousis and D.M. Thilikos, Fugitive-search games on graphs and related parameters 172 (1–2) (1997) 233–254
Doornbos, H., R. Backhouse and J. van der Woude, A calculational approach to mathematical induction (*Fundamental Study*) 179 (1–2) (19977) 103–135
Dragan, F.F., *see* A. Brandstädt 172 (1–2) (1997) 209–232
Droste, M., *see* F. Bracho 174 (1–2) (1997) 67–96
Dubois, D., *see* P. Bosc 171 (1–2) (1997) 281–302
Düntsch, I., A logic for rough sets (*Note*) 179 (1–2) (1997) 427–436

Dutheillet, C., *see* G. Chiola 176 (1–2) (1997) 39–65
Dybjer, P., Representing inductively defined sets by wellorderings in Martin-Löf's type theory (*Note*) 176 (1–2) (1997) 329–335
Edmonds, J., Removing Ramsey theory: Lower bounds with smaller domain size (*Fundamental Study*) 172 (1–2) (1997) 1–41
Ehrig, H., *see* F. Orejas 173 (2) (1997) 485–511
Ekin, O., P.L. Hammer and U.N. Peled, Horn functions and submodular Boolean functions 175 (2) (1997) 257–270
Eloranta, J., M. Tienari and A. Valmari, Essential transitions to bisimulation equivalences 179 (1–2) (1997) 397–419
Ershov, Yu.L., The bounded-complete hull of an α-space 175 (1) (1997) 3–13
Ésik, Z., Completeness of Park induction 177 (1) (1997) 217–283
Ésik, Z., *see* S.L. Bloom 179 (1–2) (1997) 1–60
Ewacha, K., I. Rival and N. Zaguia, Approximating the number of linear extensions 175 (2) (1997) 271–282
Fages, F., *see* P. Ruet 171 (1–2) (1997) 61–75
Fagin, R., *see* S. Arora 174 (1–2) (1997) 97–121
Fagnot, I., Sur les facteurs des mots automatiques 172 (1–2) (1997) 67–89
Favati, P., G. Lotti and L. Margara, Additive one-dimensional cellular automata are chaotic according to Devaney's definition of chaos 174 (1–2) (1997) 157–170
Felsner, S., On-line chain partitions of orders 175 (2) (1997) 283–292
Finkel, A. and P. McKenzie, Verifying identical communicating processes is undecidable 174 (1–2) (1997) 217–230
Fischer, P., K.-U. Höffgen and H. Lefmann, PAC-learning from general examples 172 (1–2) (1997) 43–65
Flagg, B. and R. Kopperman, Continuity spaces: Reconciling domains and metric spaces 177 (1) (1997) 111–138
Fokkink, W. and H. Zantema, Termination modulo equations by abstract communication with an application to iteration 177 (2) (1997) 407–423
Franceschinis, G., *see* G. Chiola 176 (1–2) (1997) 39–65
Fredlund, L., J.F. Groote and H. Korver, Formal verification of a leader election protocol in process algebra 177 (2) (1997) 459–486
Froidevaux, C., *see* P. Chatalic 171 (1–2) (1997) 247–280
Galbavý, R., *see* M. Hermann 176 (1–2) (1997) 111–158
Garel, E., Séparateurs dans les mots infinis engendrés par morphismes 180 (1–2) (1997) 81–113
Giaccio, R., *see* G. Ausiello 171 (1–2) (1997) 3–24
Giakoumakis, V. and J.-M. Vanherpe, On extended P_4-reducible and extended P_4-sparse graphs 180 (1–2) (1997) 269–286
Girodias, P., E. Cerny and W.J. Older, Solving linear, min and max constraint systems using CLP based on relational interval arithmetic 173 (1) (1997) 253–281
Goles, E. and M. Margenstern, Universality of the chip-firing game 172 (1–2) (1997) 121–134
Grigoriev, D., Testing shift-equivalence of polynomials by deterministic, probabilistic and quantum machines 180 (1–2) (1997) 217–228
Groote, J.F., *see* L. Fredlund 177 (2) (1997) 459–486
Grue, K., *see* C. Berline 179 (1–2) (1997) 137–202
Grumbach, S. and J. Su, Queries with arithmetical constraints 173 (1) (1997) 151–181
Gruska, J., A. Monti, M. Napoli and D. Parente, Succinctness of descriptions of SBTA-languages 179 (1–2) (1997) 251–271
Gurevich, Y. and J.K. Huggins, Equivalence is in the eye of the beholder 179 (1–2) (1997) 353–380
Habib, M., *see* V. Bouchitté 175 (2) (1997) 223
Haddac, S., *see* G. Chiola 176 (1–2) (1997) 39–65
Haddawy, P., *see* L. Ngo 171 (1–2) (1997) 147–177
Hammer, P.L., *see* O. Ekin 175 (2) (1997) 257–270
Handley, W.G., Deterministic summation modulo $\mathscr{B}_n$, the semigroup of binary relations on $\{0, 1, \ldots, n-1\}$ 172 (1–2) (1997) 135–174
Hanen, C., *see* A. Munier 178 (1–2) (1997) 119–127

Hartonas, C., Semantics for finite delay 176 (1–2) (1997) 205–234
He, X., *see* G. Kant 172 (1–2) (1997) 175–193
Hennicker, R., M. Wirsing and M. Bidoit, Proof systems for structured specifications with observability operators 173 (2) (1997) 393–443
Hermann, M. and R. Galbavý, Unification of infinite sets of terms schematized by primal grammars 176 (1–2) (1997) 111–158
Higgins, P.M., A proof of Simon's theorem on piecewise testable languages (*Note*) 178 (1–2) (1997) 257–264
Höffgen, K.-U., *see* P. Fischer 172 (1–2) (1997) 43–65
Hohl, J-C., Massively parallel factorizations of polynomials with many non-commuting variables (*Note*) 172 (1–2) (1997) 255–263
Homer, S., *see* Z. Chen 180 (1–2) (1997) 155–168
Hoogeboom, H.J. and A. Muscholl, The code problem for traces – improving the boundaries (*Note*) 172 (1–2) (1997) 309–321
Hoover, D.N., Limiting semantics of numerical programs 176 (1–2) (1997) 89–110
Hosaka, K., Y. Takenaga, T. Kaneda and S. Yajima, Size of ordered binary decision diagrams representing threshold functions 180 (1–2) (1997) 47–60
Huggins, J.K., *see* Y. Gurevich 179 (1–2) (1997) 353–380
Hunt III, H.B., *see* M.V. Marathe 174 (1–2) (1997) 23–65
Ibarra, O.H., N.Q. Tran and T. Yang, On the parallel complexity of loops 179 (1–2) (1997) 381–395
Iliopoulos, C.S., D. Moore and W.F. Smyth, A characterization of the squares in a Fibonacci string (*Note*) 172 (1–2) (1997) 281–291
Jha, S., *see* A. Browne 178 (1–2) (1997) 237–255
Jouannaud, J.-P. and M. Okada, Abstract data type systems 173 (2) (1997) 349–391
Kahrs, S., D. Sannella and A. Tarlecki, The definition of Extended ML: A gentle introduction 173 (2) (1997) 445–484
Kaneda, T., *see* K. Hosaka 180 (1–2) (1997) 47– 60
Kant, G. and X. He, Regular edge labeling of 4-connected plane graphs and its applications in graph drawing problems 172 (1–2) (1997) 175–193
Karpinski, M., L.L. Larmore and W. Rytter, Correctness of constructing optimal alphabetic trees revisited 180 (1–2) (1997) 309–324
Keesmaat, N.W. and H.C.M. Kleijn, Restrictions and representations of vector controlled concurrent system behaviours (*Fundamental Study*) 179 (1–2) (1997) 61–102
Kennaway, J.R., J.W. Klop, M.R. Sleep and F.J. de Vries, Infinitary lambda calculus 175 (1) (1997) 93–125
Kirousis, L.M., *see* N.D. Dendris 172 (1–2) (1997) 233–254
Kleijn, H.C.M., *see* N.W. Keesmaat 179 (1–2) (1997) 61–102
Kloks, T., D. Kratsch and J. Spinrad, On treewidth and minimum fill-in of asteroidal triple-free graphs 175 (2) (1997) 309–335
Klop, J.W., *see* J.R. Kennaway 175 (1) (1997) 93–125
Kobayashi, S. and T. Yokomori, Learning approximately regular languages with reversible languages (*Note*) 174 (1–2) (1997) 251–257
Kobayashi, S., Monad as modality 175 (1) (1997) 29–74
Kohlas, J., Allocation of arguments and evidence theory 171 (1–2) (1997) 221–246
Kopidakis, Y. and V. Zissimopoulos, An approximation scheme for scheduling independent jobs into subcubes of a hypercube of fixed dimension (*Note*) 178 (1–2) (1997) 265–273
Kopperman, R., *see* B. Flagg 177 (1) (1997) 111–138
Korver, H., *see* L. Fredlund 177 (2) (1997) 459–486
Koslowski, J., Note on free algebras over continuous domains (*Note*) 179 (1–2) (1997) 421–425
Koubarakis, M., From local to global consistency in temporal constraint networks 173 (1) (1997) 89–112
Koubarakis, M., The complexity of query evaluation in indefinite temporal constraint databases 171 (1–2) (1997) 25–60
Kranakis, E., *see* F. Bauernöppel 175 (2) (1997) 239–255
Kratsch, D., *see* T. Kloks 175 (2) (1997) 309–335

Krause, M. and P. Pudlák, On the computational power of depth-2 circuits with threshold and modulo gates 174 (1–2) (1997) 137–156
Krizanc, D., *see* F. Bauernöppel 175 (2) (1997) 239–255
Kucherov, G. and M. Rusinowitch, Matching a set of strings with variable length don't cares 178 (1–2) (1997) 129–154
Kudlek, M. and A. Mateescu, On distributed catenation (*Note*) 180 (1–2) (1997) 341–352
Kuske, D., *see* F. Bracho 174 (1–2) (1997) 67–96
Kůrka, P., On topological dynamics of Turing machines 174 (1–2) (1997) 203–216
Lakshmanan, L.V.S., Preface 171 (1–2) (1997) 1–2
Lamport, L., Processes are in the eye of the beholder 179 (1–2) (1997) 333–351
Larmore, L.L., *see* M. Karpinski 180 (1–2) (1997) 309–324
Latteux, M. and D. Simplot, Recognizable picture languages and domino tiling (*Note*) 178 (1–2) (1997) 275–283
Leavens, G.T. and D. Pigozzi, The behavior–realization adjunction and generalized homomorphic relations 177 (1) (1997) 183–216
Lefmann, H., *see* P. Fischer 172 (1–2) (1997) 43–65
Leoncini, M., *see* B. Codenotti 180 (1–2) (1997) 287–308
Leung, V.J., The undecidability of the unrestricted modified edit distance 180 (1–2) (1997) 203–215
Liang, W., *see* H. Shen 180 (1–2) (1997) 169–180
Lingas, A., *see* P. Berman 174 (1–2) (1997) 193–202
Lisitsa, A. and V. Sazonov, Δ-languages for sets and LOGSPACE computable graph transformers 175 (1) (1997) 183–222
Litovsky, I. and L. Staiger, Finite acceptance of infinite words 174 (1–2) (1997) 1–21
Livesey, M.J., *see* M.D. Atkinson 178 (1–2) (1997) 103–118
Long, D.E., *see* A. Browne 178 (1–2) (1997) 237–255
Lotti, G., *see* P. Favati 174 (1–2) (1997) 157–170
Madonia, M. and S. Varricchio, Some decisional problems on rational relations 180 (1–2) (1997) 1–15
Maher, M.J., Constrained dependencies 173 (1) (1997) 113–149
Maheshwari, A., *see* F. Bauernöppel 175 (2) (1997) 239–255
Manna, Z., *see* N. Bjørner 173 (1) (1997) 49–87
Marathe, M.V.. V. Radhakrishnan, H.B. Hunt III and S.S. Ravi, Hierarchically specified unit disk graphs 174 (1–2) (1997) 23–65
Margara, L., *see* P. Favati 174 (1–2) (1997) 157–170
Margenstern, M., *see* E. Goles 172 (1–2) (1997) 121–134
Marrero, W., *see* A. Browne 178 (1–2) (1997) 237–255
Marriott, K. and M. Odersky, A confluent calculus for concurrent constraint programming 173 (1) (1997) 209–233
Martini, S. and A. Masini, Experiments in linear natural deduction 176 (1–2) (1997) 159–173
Masini, A., *see* S. Martini 176 (1–2) (1997) 159–173
Massol, A., Minimality of the system of seven equations for the category of finite sets (*Note*) 176 (1–2) (1997) 347–353
Matamala, M., Alternation of cellular automata 180 (1–2) (1997) 229–241
Mateescu, A., *see* M. Kudlek 180 (1–2) (1997) 341–352
Matos, A.B., Monadic logic programs and functional complexity 176 (1–2) (1997) 175–204
McKenzie, P., *see* A. Finkel 174 (1–2) (1997) 217–230
Meseguer, J., *see* M. Cerioli 173 (2) (1997) 311–347
Michel, L. and P. Van Hentenryck, Helios: A modeling language for global optimization and its implementation in Newton 173 (1) (1997) 3–48
Middeldorp, A. and H. Zantema, Simple termination of rewrite systems 175 (1) (1997) 127–158
Mislove, M.W. and D.A. Schmidt, Foreword 177 (1) (1997) 1
Mitas, J. and K. Reuter, Cover-preserving embeddings of bipartite orders into Boolean lattices 175 (2) (1997) 337–347
Mitrana, V., *see* J. Dassow 180 (1–2) (1997) 353–361
Mobasher, B., D. Pigozzi and G. Slutzki, Multi-valued logic programming semantics: An algebraic approach 171 (1–2) (1997) 77–109

Montanari, U. and F. Rossi, Preface 173 (1) (1997) 1
Monti, A., *see* J. Gruska 179 (1–2) (1997) 251–271
Moore, D., *see* C.S. Iliopoulos 172 (1–2) (1997) 281–291
Morvan, M., *see* V. Bouchitté 175 (2) (1997) 223
Mullins, J., On an effective hierarchy of communicating processes: separation principle and testing 174 (1–2) (1997) 231–246
Munier, A. and C. Hanen, Using duplication for scheduling unitary tasks on *m* processors with unit communication delays 178 (1–2) (1997) 119–127
Muscholl, A., *see* H.J. Hoogeboom 172 (1–2) (1997) 309–321
Napoli, M., *see* J. Gruska 179 (1–2) (1997) 251–271
Nerode, A., J.B. Remmel and V.S. Subrahmanian, Annotated nonmonotonic rule systems 171 (1–2) (1997) 111–146
Ngo, L. and P. Haddawy, Answering queries from context-sensitive probabilistic knowledge bases 171 (1–2) (1997) 147–177
Nicolai, F., *see* A. Brandstädt 172 (1–2) (1997) 209–232
Nolte, D. and L. Priese, Abstract fairness and semantics 177 (1) (1997) 139–153
Nour, K., *see* R. David 180 (1–2) (1997) 371–375
Nourine, L., *see* C. de la Higuera 175 (2) (1997) 293–308
Odersky, M., *see* K. Marriott 173 (1) (1997) 209–233
Okada, M., *see* J.-P. Jouannaud 173 (2) (1997) 349–391
Older, W.J., *see* P. Girodias 173 (1) (1997) 253–281
Ono, H., Foreword 175 (1) (1997) 1
Orejas, F., E. Pino and H. Ehrig, Institutions for logic programming 173 (2) (1997) 485–511
Orponen, P., Computing with truly asynchronous threshold logic networks 174 (1–2) (1997) 123–136
Paige, R., *see* C.-H. Chang 178 (1–2) (1997) 1–36
Parente, D., *see* J. Gruska 179 (1–2) (1997) 251–271
Pe'er, I. and R. Shamir, Satisfiability problems on intervals and unit intervals 175 (2) (1997) 349–372
Péladeau, P., H. Straubing and D. Thérien, Finite semigroup varieties defined by programs 180 (1–2) (1997) 325–339
Peled, U.N., *see* O. Ekin 175 (2) (1997) 257–270
Pierce, B. and M. Steffen, Higher-order subtyping 176 (1–2) (1997) 235–282
Pigozzi, D., *see* B. Mobasher 171 (1–2) (1997) 77–109
Pigozzi, D., *see* G.T. Leavens 177 (1) (1997) 183–216
Pino, E., *see* F. Orejas 173 (2) (1997) 485–511
Pivert, O., *see* P. Bosc 171 (1–2) (1997) 281–302
Podelski, A. and G. Smolka, Situated simplification 173 (1) (1997) 235–252
Pomerance, C., J.M. Robson and J. Shallit, Automaticity II: Descriptional complexity in the unary case 180 (1–2) (1997) 181–201
Ponse, A., *see* M. Bezem 177 (2) (1997) 487–507
Ponse, A., C. Verhoef and B. van Vlijmen, Preface 177 (2) (1997) 285–286
Power, A.J., *see* S.O. Anderson 177 (1) (1997) 3–25
Prade, H., *see* P. Bosc 171 (1–2) (1997) 281–302
Priese, L., *see* D. Nolte 177 (1) (1997) 139–153
Pudlák, P., *see* M. Krause 174 (1–2) (1997) 137–156
Radhakrishnan, V., *see* M.V. Marathe 174 (1–2) (1997) 23–65
Rampon, J.-X., *see* V. Bouchitté 175 (2) (1997) 225–238
Ravi, S.S., *see* M.V. Marathe 174 (1–2) (1997) 23–65
Reggio, G., *see* G. Costa 173 (2) (1997) 513–554
Remmel, J.B., *see* A. Nerode 171 (1–2) (1997) 111–146
Reuter, K., *see* J. Mitas 175 (2) (1997) 337–347
Rival, I., *see* K. Ewacha 175 (2) (1997) 271–282
Robson, J.M., *see* C. Pomerance 180 (1–2) (1997) 181–201
Rolim, J.D.P., *see* A.E. Andreev 180 (1–2) (1997) 243–268
Rossi, F., *see* U. Montanari 173 (1) (1997) 1
Rote, G., Finding a shortest vector in a two-dimensional lattice modulo *m* (*Note*) 172 (1–2) (1997) 303–308

Rounds, W.C., *see* G.-Q. Zhang 177 (1) (1997) 155–182
Ruet, P. and F. Fages, Combining explicit negation and negation by failure via Belnap's logic 171 (1–2) (1997) 61–75
Rusinowitch, M., *see* G. Kucherov 178 (1–2) (1997) 129–154
Rystsov, I., Reset words for commutative and solvable automata (*Note*) 172 (1–2) (1997) 273–279
Rytter, W., *see* M. Karpinski 180 (1–2) (1997) 309–324
Sack, J.-R., *see* F. Bauernöppel 175 (2) (1997) 239–255
Sagot, M.-F., A. Viari and H. Soldano, Multiple sequence comparison – a peptide matching approach 180 (1–2) (1997) 115–137
Sannella, D., *see* S. Kahrs 173 (2) (1997) 445–484
Santini-Bouchard, M.-L., Echanges de trois intervalles et suites minimales 174 (1–2) (1997) 171–191
Sato, M., Intuitionistic and classical natural deduction systems with the catch and the throw rules 175 (1) (1997) 75–92
Savický, P. and S. Žák, A lower bound on branching programs reading some bits twice (*Note*) 172 (1–2) (1997) 293–301
Sazonov, V., *see* A. Lisitsa 175 (1) (1997) 183–222
Schmidt, D.A., *see* M.V. Mislove 177 (1) (1997) 1
Schwind, C., *see* P. Chatalic 171 (1–2) (1997) 247–280
Shallit, J., *see* C. Pomerance 180 (1–2) (1997) 181–201
Shamir, R., *see* I. Pe'er 175 (2) (1997) 349–372
Shen, H. and W. Liang, Efficient enumeration of all minimal separators in a graph 180 (1–2) (1997) 169–180
Shilov, N.V., Program schemata vs. automata for decidability of program logics 175 (1) (1997) 15–27
Shimozono, S., Finding optimal subgraphs by local search (*Note*) 172 (1–2) (1997) 265–271
Sigstam, I. and V. Stoltenberg-Hansen, Representability of locally compact regular spaces by domains and formal spaces 179 (1–2) (1997) 319–331
Simplot, D., *see* M. Latteux 178 (1–2) (1997) 275–283
Sirvent, V.F., On some dynamical subsets of the Rauzy fractal (*Note*) 180 (1–2) (1997) 363–370
Sleep, M.R., *see* J.R. Kennaway 175 (1) (1997) 93–125
Slutzki, G., *see* B. Mobasher 171 (1–2) (1997) 77–109
Smolka, G., *see* A. Podelski 173 (1) (1997) 235–252
Smolka, S.A, *see* S.-H. Wu 176 (1–2) (1997) 1–38
Smyth, W.F., *see* C.S. Iliopoulos 172 (1–2) (1997) 281–291
Soldano, H., *see* M.-F. Sagot 180 (1–2) (1997) 115–137
Spinrad, J., *see* T. Kloks 175 (2) (1997) 309–335
Spooner, D.A., *see* J.R.B. Cockett 177 (1) (1997) 73–109
Staiger, L., *see* I. Litovsky 174 (1–2) (1997) 1–21
Stark, E.W., *see* S.-H. Wu 176 (1–2) (1997) 1–38
Steffen, M., *see* B. Pierce 176 (1–2) (1997) 235–282
Stoltenberg-Hansen, V., *see* I. Sigstam 179 (1–2) (1997) 319–331
Straubing, H., *see* P. Pèladeau 180 (1–2) (1997) 325–339
Strauss, M., Normal numbers and sources for BPP 178 (1–2) (1997) 155–169
Su, J., *see* S. Grumbach 173 (1) (1997) 151–181
Subrahmanian, V.S., *see* A. Nerode 171 (1–2) (1997) 111–146
Suciu, D., Bounded fixpoints for complex objects 176 (1–2) (1997) 283–328
Takahashi, N., Various hierarchies of ω-regular sets (*Note*) 174 (1–2) (1997) 259–268
Takenaga, Y., *see* K. Hosaka 180 (1–2) (1997) 47–60
Talamo, M. and P. Vocca, A data structure for lattice representation 175 (2) (1997) 373–392
Tarlecki, A., *see* S. Kahrs 173 (2) (1997) 445–484
Terwijn, S.A., *see* K. Ambos-Spies 172 (1–2) (1997) 195–207
Thérien, D., *see* P. Pelladeau 180 (1–2) (1997) 325–339
Thilikos, D.M., *see* N.D. Dendris 172 (1–2) (1997) 233–254
Tienari, M., *see* J. Eloranta 179 (1–2) (1997) 397–419
Tran, N.Q., *see* O.H. Ibarra 179 (1–2) (1997) 381–395
Treinen, T., *see* H. Comon 176 (1–2) (1997) 67–87

Tulley, D., *see* M.D. Atkinson 178 (1–2) (1997) 103–118
Turakainen, P., The undecidability of some equivalence problems concerning ngsm's and finite substitutions (*Note*) 174 (1–2) (1997) 269–274
Urrutia, J., *see* F. Bauernöppel 175 (2) (1997) 239–255
Valmari, A., *see* J. Eloranta 179 (1–2) (1997) 397–419
van Beek, P., *see* R. Dechter 173 (1) (1997) 283–308
van der Woude, J., *see* H. Doornbos 179 (1–2) (1997) 103–135
van Glabbeek, R.J., Notes on the methodology of CCS and CSP 177 (2) (1997) 329–349
van Hentenryck, P., *see* L. Michel 173 (1) (1997) 3–48
van Oostrom, V., Developing developments 175 (1) (1997) 159–181
van Vlijmen, B., *see* A. Ponse 177 (2) (1997) 285–286
van Wamel, J., Process algebra with language matching 177 (2) (1997) 425–458
Vanherpe, J.-M., *see* V. Giakoumakis 180 (1–2) (1997) 269–286
Varricchio, S., *see* M. Madonia 180 (1–2) (1997) 1–15
Verhoef, C., *see* A. Ponse 177 (2) (1997) 285–286
Verhoef, C., *see* P.R. D'Argenio 177 (2) (1997) 351–380
Viari, A., *see* M.-F. Sagot 180 (1–2) (1997) 115–137
Viennot, L., Parallel *N*-free order recognition 175 (2) (1997) 393–406
Vinodchandran, N.V., *see* V. Arvind 180 (1–2) (1997) 17–45
Vocca, P., *see* M. Talamo 175 (2) (1997) 373–392
Vogliotti, C.Q., *see* G. Cattaneo 178 (1–2) (1997) 77–102
Vrancken, J.L.M., The algebra of communicating processes with empty process 177 (2) (1997) 287–328
Wirsing, M., *see* R. Hennicker 173 (2) (1997) 393–443
Wu, S.-H., S.A. Smolka and E.W. Stark, Composition and behaviors of probabilistic I/O automata (*Fundamental Study*) 176 (1–2) (1997) 1–38
Yajima, S., *see* K. Hosaka 180 (1–2) (1997) 47–60
Yamamoto, H., On the power of alternation on reversal-bounded alternating Turing machines with a restriction 180 (1–2) (1997) 139–154
Yamasaki, Y., The arithmetic of reversed positional games (*Mathematical Games*) 174 (1–2) (1997) 247–249
Yang, T., *see* O.H. Ibarra 179 (1–2) (1997) 381–395
Yen, H.-C., On reachability equivalence for BPP-nets 179 (1–2) (1997) 301–317
Yokomori, T., *see* S. Kobayashi 174 (1–2) (1997) 251–257
Žák, S., *see* P. Savický 172 (1–2) (1997) 293–301
Zaguia, N., *see* K. Ewacha 175 (2) (1997) 271–282
Zantema, H., *see* W. Fokkink 177 (2) (1997) 407–423
Zantema, H., *see* A. Middeldorp 175 (1) (1997) 127–158
Zhang, G.-Q. and E.R. Canfield, The end of pumping? (*Note*) 174 (1–2) (1997) 275–279
Zhang, G.-Q. and W.C. Rounds, Defaults in domain theory 177 (1) (1997) 155–182
Zhang, G.-Q., *see* I. Castellani 179 (1–2) (1997) 203–215
Zheng, X., *see* K. Ambos-Spies 172 (1–2) (1997) 195–207
Zimányi, E., Query evaluation in probabilistic relational databases 171 (1–2) (1997) 179–219
Zissimopoulos, V., *see* Y. Kopidakis 178 (1–2) (1997) 265–273